



## Retail Food Establishment Inspection Report

Floyd County Health Department  
Telephone: 812-948-4726

X10600

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <b>Cash Saver #1167</b>	Telephone Number <b>812 923 7010</b>	Date of Inspection (mm/dd/yr) <b>10/09/2019</b>	PERMIT # <b>19-45</b>
Establishment Address (number and street, city, state, zip code) <b>1042 N. Luther Rd New Albany, IN 47150</b>	<b>812 634 7029</b>	Follow-up <b>NO</b>	Release Date <b>TODAY</b>
Owner <b>Buehler, Inc.</b>	Purpose: 1. Routine <b>2. Follow-up</b> 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list)	Summary of Violations: <b>C 2 NC 4 R 0</b>	
Owner's Address <b>307 Newton St. New Albany, IN 47150</b>		Menu Type (See back of page) <b>1 2 3 4 X 5</b>	
Person in Charge <b>Larry Thompson</b>			
Responsible Person's E-mail			
Certified Food Manager <b>Jeff Cottrell (12/1/21)</b>			

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
192	C	R	Observed (2) outdated items in deli retail case	Discarded
443	C	R	Measured deli sanitizer at 500 ppm - EcoLab visited store to adjust - deli staff advised to add more H <sub>2</sub> O and test	Corrected
218	NC	R	Observed seal missing from freezer at receiving - PIC provided invoice for commercial refrigerator / part ordered	Corrected
297	NC	R	Observed moldy occurring at corners of produce retail - unit was deep-cleaned after routine, but will need to be routinely monitored - PIC had unit cleaned	Corrected
310	NC	R	Observed dust on dairy walk-in ceiling	Corrected
416	NC	R	Observed dead flies in dairy case - PIC has weekly CPO services to solve issue - Dairy staff advised to clean often	Corrected
			Issues were able to be abated at time of inspection	

Received by (name and title printed): <b>LARRY THOMPSON</b>	Inspected by (name and title printed): <b>A.J. Ingram (EHS)</b>
Received by (signature): 	Inspected by (signature): 
cc:	cc: